ISA
TRANSACTIONS®

ISA Transactions 43 (2004) 655–657

Author index of Volume 43

Ahlstrom, Jr., H.G., *see* Gawronski, W. 597–610

Bernardo, A.M., *see* Gawronski, W. 597–610
Bhattacharya, S., A. Chatterjee, and S. Munshi, A new self-tuned PID-type fuzzy controller as a combination of two-term controllers 413–426
Blažič, S., *see* Škrjanc, I. 585–595
Blevins, T., *see* Diedrich, C. 123–131
Bonin, M.J., *see* Subawalla, H. 153–168

Camacho, O. and F. De la Cruz, Smith predictor based–sliding mode controller for integrating processes with elevated deadtime 257–270
Camacho, O., *see* Rojas, R. 243–255
Canuto, E. and A. Rolino, Nanobalance: An automated interferometric balance for micro-thrust measurement 169–187
Ceballos, E., *see* Segovia, J.P. 271–281
Chang, W.-J. and C.-C. Shing, Robust covariance control for disctrete system by Takagi-Sugeno fuzzy controllers 377–387
Chang, W.-J., Y.-L. Yeh, and K.-H. Tsai, Covariance control with observed-state feedback gains for continuous nonlinear systems using T-S fuzzy models 389–398
Chatterjee, A., *see* Bhattacharya, S. 413–426
Chaudhuri, S., *see* Mukherjee, A. 3– 12
Chen, Y., *see* Tan, W. 571–583
Chen, Y., *see* Wang, L. 99–109
Chieng, W.-H., *see* Liao, C.-S. 427–443
Cole, G.R., *see* Patel, M. 477–490
Collins, Jr., E.G., *see* Zhao, Y. 611–621

Daku, B.L.F., E.M.A. Mohamed, and A.F. Prugger, A PVDF transducer for low-frequency acceleration measurements 319–328
De la Cruz, F., *see* Camacho, O. 257–270
DePuy, G., *see* Ralston, P. 639–653
Diedrich, C., F. Russo, L. Winkel, and T. Blevins, Function block applications in control systems based on IEC 61804* 123–131
Dolinar, D., G. Štumberger, and M. Milanovič, Position tracking control of saturated LSRM 527–538
Duarte-Mermoud, M.A. and R.A. Prieto, Performance index for quality response of dynamical systems 133–151
Dubay, R., G. Kember, and B. Pramujati, Well-conditioned model predictive control 23– 32
Dunn, A.C., L.-S. Shieh, and S.-M. Guo, Digital redesign of analog Smith predictor for systems with input time delays 33– 47
Dutta, P.K., *see* Mukherjee, A. 3– 12

Eker, İ, Experimental on-line identification of an electromechanical system 13– 22
Elhalwagy, Y.Z. and M. Tarbouchi, Fuzzy logic sliding mode control for command guidance law design 231–242

Fang, F., *see* Tan, W. 571–583
French, J.D., J.H. Mutti, S.S. Nair, and M. Prewitt, High performance force feedback mechanism for virtual reality training of endotracheal intubation 85– 98

Gawronski, W., H.G. Ahlstrom, Jr., and A.M. Bernardo, Analysis and performance of the control systems of the NASA 70-meter antennas 597–610
Giovanini, L.L., Embedded estimator in predictive feedback control 343–359

Giovanini, L.L., Flexible-structure control: A strategy for releasing input constraints 361–376
González, L., *see* Rojas, R. 243–255
Graham, J.H., *see* Ralston, P. 639–653
Guo, S.-M., *see* Dunn, A.C. 33– 47
Gupta, Y.P., Solution of low-dimensional constrained model predictive control problems 499–508

Hauptman, B. and V. Jovan, An approach to process production reactive scheduling 305–318
Hickey, T.W., *see* Yen, G.G. 217–230
Ho, L.-W., *see* Yen, G.G. 549–569
Huang, B., *see* Huang, X. 49– 59
Huang, H.-P., *see* Panda, R.C. 283–295
Huang, X. and B. Huang, Multi-loop decentralized PID control based on covariance control criteria: An LMI approach 49– 59

Jali, D., *see* LoPresti, P.G. 195–204
Jeng, S.-L., *see* Liao, C.-S. 427–443
Jiang, X., *see* Wang, L. 99–109
Jovan, V., *see* Hauptman, B. 305–318

Kadirkamanathan, V., *see* Stewart, P. 111–122
Kaya, I., Tuning PI controllers for stable processes with specifications on gain and phase margins 297–304
Kember, G., *see* Dubay, R. 23– 32
Klančar, G., M. Kristan, S. Kovačič, and O. Orqueda, Robust and efficient vision system for group of cooperating mobile robots with application to soccer robots 329–342
Kocijan, J., *see* Vrančić, D. 73– 84
Kovačič, S., *see* Klančar, G. 329–342
Kristan, M., *see* Klančar, G. 329–342

Lee, C.-H., Low order robust controller design for preserving H_∞ performance: Genetic algorithm approach 539–547
Li, Y., *see* Zhang, X.-Z. 189–194
Liao, C.-S., S.-L. Jeng, and W.-H. Chieng, Electronic cam motion generation with special reference to constrained velocity, acceleration, and jerk 427–443
Liu, J., *see* Tan, W. 571–583
Lo, C.H., Y.K. Wong, and A.B. Rad, Model-based fault diagnosis in continuous dynamic systems 459–475
LoPresti, P.G., D. Jali, and C. Shrock, Differential strain measurement using multiplexed fiber Bragg grating sensors 195–204
Love, J., *see* Nortcliffe, A. 61– 71
Luck, R. and J.W. Stevens, A simple numerical procedure for estimating nonlinear uncertainty propagation 491–497

Milanovič, M., *see* Dolinar, D. 527–538
Mohamed, E.M.A., *see* Daku, B.L.F. 319–328
Mukherjee, A., S. Chaudhuri, P.K. Dutta, S. Sen, and A. Patra, A novel shape-based coding-decoding technique for an industrial visual inspection system 3– 12
Munshi, S., *see* Bhattacharya, S. 413–426
Mutti, J.H., *see* French, J.D. 85– 98

Nair, S.S., *see* French, J.D. 85– 98
Nair, S.S., *see* Zhang, X. 509–525
Nortcliffe, A. and J. Love, Varying time delay Smith predictor process controller 61– 71
Nouri, B.M.Y., Friction identification in mechatronic systems 205–216

Oblak, S., *see* Škrjanc, I. 585–595
Orqueda, O., *see* Klančar, G. 329–342

Panda, R.C., C.-C. Yu, and H.-P. Huang, PID tuning rules for SOPDT systems: Review and some new results 283–295
Patel, M., G.R. Cole, T.L. Pryor, and N.A. Wilmot, Development of a novel SCADA system for laboratory testing 477–490
Patra, A., *see* Mukherjee, A. 3– 12
Pomerleau, A. and É. Poulin, Manipulated variable based PI tuning and detection of poor settings: An industrial experience 445–457
Poulin, É., *see* Pomerleau, A. 445–457
Pramujati, B., *see* Dubay, R. 23– 32
Prewitt, M., *see* French, J.D. 85– 98
Prieto, R.A., *see* Duarte-Mermoud, M.A. 133–151
Prugger, A.F., *see* Daku, B.L.F. 319–328
Pryor, T.L., *see* Patel, M. 477–490

Rad, A.B., *see* Lo, C.H. 459–475
Ralston, P., G. DePuy, and J.H. Graham, Graphical enhancement to support PCA-based process monitoring and fault diagnosis 639–653
Rhinehart, R.R., Message from the Editor 1– 1
Richalet, J., *see* Škrjanc, I. 585–595
Rojas, R., O. Camacho, and L. González, A sliding mode control proposal for open-loop unstable processes 243–255
Rolino, A., *see* Canuto, E. 169–187
Russo, F., *see* Diedrich, C. 123–131

Sbarbaro, D., *see* Segovia, J.P. 271–281
Segovia, J.P., D. Sbarbaro, and E. Ceballos, An adaptive pattern based nonlinear PID controller 271–281
Sen, S., *see* Mukherjee, A. 3– 12
Shieh, L.-S., *see* Dunn, A.C. 33– 47
Shing, C.-C., *see* Chang, W.-J. 377–387
Shrock, C., *see* LoPresti, P.G. 195–204
Škrjanc, I., S. Blažič, S. Oblak, and J. Richalet, An approach to predictive control of multivariable time-delayed plant: Stability and design issues 585–595
Song, Y.Q., *see* Wang, Z. 623–637
Stevens, J.W., *see* Luck, R. 491–497
Stewart, P. and V. Kadirkamanathan, Dynamic model tracking design for low inertia, high speed permanent magnet ac motors 111–122
Strmčnik, S., *see* Vrančić, D. 73– 84
Štumberger, G., *see* Dolinar, D. 527–538
Subawalla, H., A.J. Zehnder, M. Turcotte, and M.J. Bonin, Multivariable optimization of a multiproduct continuous chemicals facility 153–168
Sun, Y., *see* Wang, Z. 623–637

Tan, K.C., *see* Wang, L. 99–109
Tan, K.K. and S. Zhao, Precision motion control with a high gain disturbance compensator for linear motors 399–412
Tan, W., J. Liu, F. Fang, and Y. Chen, Tuning of PID controllers for boiler-turbine units 571–583
Tarbouchi, M., *see* Elhalwagy, Y.Z. 231–242
Tsai, K.-H., *see* Chang, W.-J. 389–398
Turcotte, M., *see* Subawalla, H. 153–168

Vrančić, D., S. Strmčnik, and J. Kocijan, Improving disturbance rejection of PI controllers by means of the magnitude optimum method 73– 84

Wang, L., X. Jiang, Y. Chen, and K.C. Tan, A VxD-based automatic blending system using multithreaded programming 99–109
Wang, Z., Y.Q. Song, H.-b. Yu, and Y. Sun, Worst-case response time of aperiodic message in WorldFIP and its improvement in real-time capability 623–637
Wilmot, N.A., *see* Patel, M. 477–490
Winkel, L., *see* Diedrich, C. 123–131
Wong, Y.K., *see* Lo, C.H. 459–475

Xu, W., *see* Zhang, X. 509–525

Yeh, Y.-L., *see* Chang, W.-J. 389–398
Yen, G.G. and T.W. Hickey, Reinforcement learning algorithms for robotic navigation in dynamic environments 217–230
Yen, G.G. and L.-W. Ho, Intelligent on-line fault tolerant control for unanticipated catastrophic failures 549–569
Yu, C.-C., *see* Panda, R.C. 283–295
Yu, H.-b., *see* Wang, Z. 623–637

Zehnder, A.J., *see* Subawalla, H. 153–168
Zhang, X., W. Xu, and S.S. Nair, Comparison of some modeling and control issues for a flexible two link manipulator 509–525
Zhang, X.-Z. and Y. Li, Calculation of the virtual current in an electromagnetic flow meter with one bubble using 3D model 189–194
Zhao, S., *see* Tan, K.K. 399–412
Zhao, Y. and E.G. Collins, Jr., Comparison of two approaches to automated PI controller tuning for an industrial weigh belt feeder 611–621

Volu
1
3
13
23
33
49
61
73
85
99
111
123
133
153

ISA
TRANSACTIONS®

ISA Transactions 43 (2004) 659–661

Cumulative contents of Volume 43

Volume 43, Number 1, January 2004

1 **Message from the Editor**

3 **A novel shape-based coding-decoding technique for an industrial visual inspection system**
Anirban Mukherjee, Subhasis Chaudhuri, Pranab K. Dutta, Siddhartha Sen, Amit Patra

13 **Experimental on-line identification of an electromechanical system**
Ilyas Eker

23 **Well-conditioned model predictive control**
Rickey Dubay, Guy Kember, Bambang Pramujati

33 **Digital redesign of analog Smith predictor for systems with input time delays**
Alex C. Dunn, Leang-San Shieh, Shu-Mei Guo

49 **Multi-loop decentralized PID control based on covariance control criteria: An LMI approach**
Xin Huang, Biao Huang

61 **Varying time delay Smith predictor process controller**
Anne Nortcliffe, Jonathan Love

73 **Improving disturbance rejection of PI controllers by means of the magnitude optimum method**
Damir Vrančić, Stanko Strmčnik, Juš Kocijan

85 **High performance force feedback mechanism for virtual reality training of endotracheal intubation**
Jonathan D. French, James H. Mutti, Satish S. Nair, Michael Prewitt

99 **A VxD-based automatic blending system using multithreaded programming**
L. Wang, X. Jiang, Y. Chen, K. C. Tan

111 **Dynamic model tracking design for low inertia, high speed permanent magnet ac motors**
P. Stewart, V. Kadirkamanathan

123 **Function block applications in control systems based on IEC 61804**
Christian Diedrich, Francesco Russo, Ludwig Winkel, Terry Blevins

133 **Performance index for quality response of dynamical systems**
Manuel A. Duarte-Mermoud, Rodrigo A. Prieto

153 **Multivariable optimization of a multiproduct continuous chemicals facility**
Hoshang Subawalla, Anthony J. Zehnder, Michael Turcotte, Millard J. Bonin

Volume 43, Number 2, April 2004

169 **Nanobalance: An automated interferometric balance for micro-thrust measurement**
Enrico Canuto, Andrea Rolino

189 **Calculation of the virtual current in an electromagnetic flow meter with one bubble using 3D model**
Xiao-Zhang Zhang, Yantao Li

195 **Differential strain measurement using multiplexed fiber Bragg grating sensors**
Peter G. LoPresti, Dilip Jali, Christopher Shrock

205 **Friction identification in mechatronic systems**
Bashir M. Y. Nouri

217 **Reinforcement learning algorithms for robotic navigation in dynamic environments**
Gary G. Yen, Travis W. Hickey

231 **Fuzzy logic sliding mode control for command guidance law design**
Y. Z. Elhalwagy, M. Tarbouchi

243 **A sliding mode control proposal for open-loop unstable processes**
Rubén Rojas, Oscar Camacho, Luis González

257 **Smith predictor based–sliding mode controller for integrating processes with elevated deadtime**
Oscar Camacho, Francisco De la Cruz

271 **An adaptive pattern based nonlinear PID controller**
Juan Pablo Segovia, Daniel Sbarbaro, Eric Ceballos

283 **PID tuning rules for SOPDT systems: Review and some new results**
Rames C. Panda, Cheng-Ching Yu, Hsiao-Ping Huang

297 **Tuning PI controllers for stable processes with specifications on gain and phase margins**
Ibrahim Kaya

305 **An approach to process production reactive scheduling**
Boštjan Hauptman, Vladimir Jovan

Volume 43, Number 3, July 2004

319 **A PVDF transducer for low-frequency acceleration measurements**
Brian L. F. Daku, Enas M. A. Mohamed, Arnfinn F. Prugger

329 **Robust and efficient vision system for group of cooperating mobile robots with application to soccer robots**
Gregor Klančar, Matej Kristan, Stanislav Kovačič, Omar Orqueda

343 **Embedded estimator in predictive feedback control**
Leonardo L. Giovanini

361 **Flexible-structure control: A strategy for releasing input constraints**
Leonardo L. Giovanini

377 **Robust covariance control for discrete system by Takagi-Sugeno fuzzy controllers**
Wen-Jer Chang, Chong-Cheng Shing

389 **Covariance control with observed-state feedback gains for continuous nonlinear systems using T-S fuzzy models**
Wen-Jer Chang, Yi-Lin Yeh, Kuo-Hui Tsai

399 **Precision motion control with a high gain disturbance compensator for linear motors**
Kok Kiong Tan, Shao Zhao

413 **A new self-tuned PID-type fuzzy controller as a combination of two-term controllers**
S. Bhattacharya, A. Chatterjee, S. Munshi

427 **Electronic cam motion generation with special reference to constrained velocity, acceleration, and jerk**
Chung-Shu Liao, Shyr-Long Jeng, Wei-Hua Chieng

445 **Manipulated variable based PI tuning and detection of poor settings: An industrial experience**
A. Pomerleau, É. Poulin

459 **Model-based fault diagnosis in continuous dynamic systems**
C. H. Lo, Y. K. Wong, A. B. Rad

477 **Development of a novel SCADA system for laboratory testing**
M. Patel, G. R. Cole, T. L. Pryor, N. A. Wilmot

Volume 43, Number 4, October 2004

491 **A simple numerical procedure for estimating nonlinear uncertainty propagation**
R. Luck, J. W. Stevens

499 **Solution of low-dimensional constrained model predictive control problems**
Yash P. Gupta

509 **Comparison of some modeling and control issues for a flexible two link manipulator**
X. Zhang, W. Xu, S. S. Nair

527 **Position tracking control of saturated LSRM**
Drago Dolinar, Gorazd Štumberger, Miro Milanovič

539 **Low order robust controller design for preserving H_∞ performance: Genetic algorithm approach**
Ching-Hung Lee

549 **Intelligent on-line fault tolerant control for unanticipated catastrophic failures**
Gary G. Yen, Liang-Wei Ho

571 **Tuning of PID controllers for boiler-turbine units**
Wen Tan, Jizhen Liu, Fang Fang, Yanqiao Chen

585 **An approach to predictive control of multivariable time-delayed plant: Stability and design issues**
I. Škrjanc, S. Blažič, S. Oblak, J. Richalet

597 **Analysis and performance of the control systems of the NASA 70-meter antennas**
Wodek Gawronski, Harlow G. Ahlstrom, Jr., Abner M. Bernardo

611 **Comparison of two approaches to automated PI controller tuning for an industrial weigh belt feeder**
Yanan Zhao, Emmanuel G. Collins, Jr.

623 **Worst-case response time of aperiodc message in WorldFIP and its improvement in real-time capability**
Zhi Wang, Ye Qiong Song, Hai-bin Yu, Youxian Sun

639 **Graphical enhancement to support PCA-based process monitoring and fault diagnosis**
Patricia Ralston, Gail DePuy, James H. Graham

655 **Author Index to Volume 43**

659 **Cumulative contents of Volume 43**